KLJ Group

KANATOL - 1M

KANATOL - 1M

Chemical Nature

Maleic acid ester of Methanol

Chemical Name :-DI Methyl Maleate Trade Name KANATOL - 1M

Molecular Formula :- $C_6H_8O_4$ Molecular Weight :-144

Molecular Structure :-CH₃OOCCH=CHCOOCH₃

CAS. Number 624-48-6 UN. NO 2810 :-EINECS NO :- 210-848-5

Specification

Characteristics	Unit	Test Method	Value
Colour Volatile Loss (110°C/1Hrs) Ester Value Acidity Moisture Specific Gravity (27°C) Ester content Heat Stability (150°C/2Hrs) Acidity after heat treatment	HU wt.% mg KOH/g wt% wt.% - wt.% HU wt.%	ASTM-D-1045-86 KLJTM ASTM-D-1045-86 ASTM-D-1045-86 ASTM-E-203 ASTM-D-1045-86 ASTM-D-1045-86 ISI-9591-96 ASTM-D-1045-86	40 max. 1.0 max. 779 ± 3 0.030 max. 0.40 max. 1.14 ± 0.003 99.00min. 50 HU NA
Plasticizing Esters by GC Typical Properties Boiling Point Pour point	%by area °C °C	KLJTM lit. lit.	99.00min. 205 -17.5

KLJTM

ASTM-D-1045-86

95

1.438 ± 1.446

Total Solution in Plasticizers

Flash Point

Refractive Index (27°C)





KANATOL - 1M

Properties K-1M is clear, colourless liquid, with characteristic smell, insoluble in water but

miscible with organics solvents

Application K-1M is used as an additive and intermediate for plastics, pigments

pharmaceuticals, and agricultural products. K-1M is an intermediate for the production of paints, adhesives and copolymers. It is used In many organic

synthesis including as a dienophile of diene sytheses.

Packing & K-1M is packed In 200/225 kg iron drum/HDPE drum, 20-22 MT in Flexi tank / ISO tank /road tanker It is stored in tightly closed container, in a cool (<25°C), dy,

ventilated area.

Shelf Life Original characteristics remain intact for 12 months, if kept in recommended

storage.

Safety The MSDS can be provided on request.

Disclaimer

The data contained in this publication are based on our current knowledge and experience. During processing there are so many factors which may affect the

experience. During processing, there are so many factors which may affect the application part of **K-1M**, so these data neither imply any guarantee of certain properties, nor the suitability of the product for the specific purpose. Any data given in this publication may change without prior information and do not constitute the

agreed quality of our product.